
FORM 3

#### STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

AMENDED REPORT DIVISION OF OIL, GAS AND MINING 1. WELL NAME and NUMBER APPLICATION FOR PERMIT TO DRILL Ute Tribal 1-11-3-4WH 2. TYPE OF WORK 3. FIELD OR WILDCAT ALTAMONT DRILL NEW WELL REENTER P&A WELL DEEPEN WELL 4. TYPE OF WELL 5. UNIT or COMMUNITIZATION AGREEMENT NAME Oil Well Coalbed Methane Well: NO 6. NAME OF OPERATOR 7. OPERATOR PHONE NEWFIELD PRODUCTION COMPANY 435 646-4825 8. ADDRESS OF OPERATOR 9. OPERATOR E-MAIL Rt 3 Box 3630, Myton, UT, 84052 mcrozier@newfield.com 10. MINERAL LEASE NUMBER 11. MINERAL OWNERSHIP 12. SURFACE OWNERSHIP (FEDERAL, INDIAN, OR STATE) FEE ( FEDERAL INDIAN (III) STATE [ FEDERAL INDIAN 🔄 STATE 🤚 14-20-H62-6388 13. NAME OF SURFACE OWNER (if box 12 = 'fee') 14. SURFACE OWNER PHONE (if box 12 = 'fee') Newfield RMI LLC 435-823-1932 16. SURFACE OWNER E-MAIL (if box 12 = 'fee') 15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 1001 17th Street, Suite 2000, Denver. CO 80202 18. INTEND TO COMMINGLE PRODUCTION FROM 19. SLANT 17. INDIAN ALLOTTEE OR TRIBE NAME MULTIPLE FORMATIONS (if box 12 = 'INDIAN') YES (Submit Commingling Application) NO Ute Indian Tribe VERTICAL DIRECTIONAL [ HORIZONTAL 📵 20. LOCATION OF WELL **FOOTAGES** QTR-QTR SECTION TOWNSHIP RANGE **MERIDIAN** LOCATION AT SURFACE 175 FSL 1060 FEL SESE 2 3.0 S 4.0 W U Top of Uppermost Producing Zone 660 FNL 660 FEL NENE 11 3.0 S 4.0 W U 660 FSI 660 FFI SESE U At Total Depth 11 3 0 S 4 0 W 21. COUNTY 22. DISTANCE TO NEAREST LEASE LINE (Feet) 23. NUMBER OF ACRES IN DRILLING UNIT DUCHESNE 25. DISTANCE TO NEAREST WELL IN SAME POOL 26. PROPOSED DEPTH (Applied For Drilling or Completed) MD: 13607 TVD: 9082 1950 27. ELEVATION - GROUND LEVEL 28. BOND NUMBER 29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 5675 RLB00100473 437478 Hole, Casing, and Cement Information Grade & Thread Max Mud Wt. Yield String Hole Size **Casing Size** Length Weight Cement Sacks Weight COND 17.5 14 0 - 60 37.0 H-40 ST&C 0.0 Class G 35 1.17 15.8 SURF 12.25 9.625 0 - 250036.0 J-55 LT&C 8.3 Type III 216 3.33 11.0 Type III 95 1.9 13.0 11 8.75 7 0 - 9644 26.0 P-110 Other 11.5 Premium Lite High Strength 389 2.59 11.5 50/50 Poz 300 13.0 1.62 PROD 6.125 4.5 8771 - 13607 13.5 P-110 Other 11.5 No Used 0 0.0 0.0 **ATTACHMENTS** VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER COMPLETE DRILLING PLAN AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED) **TOPOGRAPHICAL MAP** NAME Don Hamilton TITLE Permitting Agent PHONE 435 719-2018 SIGNATURE **DATE** 09/18/2012 EMAIL starpoint@etv.net API NUMBER ASSIGNED **APPROVAL** 43013517300000 Permit Manager



## T3S, R4W, U.S.B.&M. of Hole S89°22'40"W 1914 BLM 1914 BLM Brass Cap 2654.69' (Meas. 589°07'44"W - 2651.19' (Meas.) Brass Cap 1914 BLM 660, Brass Cap 90°14' (G.L.O.) 660 Producing Interval 0 1914 BLM 5244.36 Brass Cap Bottom of Hole TARGET BOTTOM HOLE: 660' 1-11-3-4WH (G.L.O.) 5334.12' (G.L.O.) 1.914 RIM Brass Cap

# **♦**


= SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

| NAD 83 (TOP OF PROD. INTERVAL)                       | NAD 83 (BOTTOM HOLE LOCATION)                            |
|--|--|
| LATITUDE = 40°14'27.10"<br>LONGITUDE = 110°17'46.28" | LATITUDE = 40°13'48.08"                                  |
| NAD 27 (TOP OF PROD. INTERVAL)                       | LONGITUDE = 110°17'46.32"  NAD 27 (BOTTOM HOLE LOCATION) |
| LATITUDE = 40°14'27.26"<br>LONGITUDE = 110°17'43.72" | LATITUDE = 40°13'48.23"<br>LONGITUDE = 110°17'43.76"     |

### NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, 1-11-3-4WH, LOCATED AS SHOWN IN THE SE 1/4 SE 1/4 OF SECTION 11, T3S, R4W, U.S.B.&M. DUCHESNE COUNTY, UTAH.



#### NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Top of Producing Interval bears \$26°21'51"E 927.04' from the Top of Hole.



#### TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

| DATE SURVEYED:<br>04-18-12 | SURVEYED BY: S.H. | VERSION: |
|----------------------------|-------------------|----------|
| DATE DRAWN:<br>05-21-12    | DRAWN BY: R.B.T.  | V1       |
| REVISED:<br>10-26-12 V.H.  | SCALE: 1" = 1000' |          |